

Historic, Archive Document


Do not assume content reflects current scientific knowledge, policies, or practices.

U. S. DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service - Cotton Program
Memphis, Tennessee

UNITED STATES

Cotton Quality Report

USDA
NAT'L AGRIC LIBR
2003 DEC 12 A 11 43
COTTON SECT 1 55
AGRIC LIBR 55



Classings Through November 27, 2003

VOL. 77, NO. 3

November 28, 2003

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through November 27, 2003

QUALITY	LEAF	STAPLE								
		26 & -	28	29	30	31	32	33	34	34 & -
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	-	-	-	-	1	-	4	3	8
	3	-	-	-	2	26	64	62	69	223
	4	-	-	-	1	3	44	99	103	250
	5	-	-	-	-	1	16	64	74	155
	6	-	-	-	-	1	3	17	14	35
	7	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	3	32	127	246	263	671
13 & 23	1-2	-	6	30	112	203	417	560	808	2,136
	3	-	2	5	89	247	595	689	635	2,262
	4	-	-	2	13	34	86	93	85	313
	5	-	-	-	-	1	2	3	4	10
	6	-	-	-	-	-	-	1	-	1
	7	-	-	-	-	-	-	-	-	-
TOTAL----		-	8	37	214	485	1,100	1,346	1,532	4,722
33	1-2	-	3	5	56	170	220	302	266	1,022
	3	-	2	17	119	359	674	1,194	1,848	4,213
	4	-	1	12	52	207	477	623	772	2,144
	5	-	-	5	30	135	106	136	119	531
	6	-	-	2	2	23	9	10	14	60
	7	-	-	-	-	2	2	-	-	4
TOTAL----		-	6	41	259	896	1,488	2,265	3,019	7,974
43	1-2	-	-	-	4	9	27	103	103	246
	3	-	-	-	27	101	322	1,126	2,142	3,718
	4	-	-	1	21	112	301	1,134	2,332	3,901
	5	-	-	1	17	57	105	207	341	728
	6	-	-	-	1	36	28	51	34	150
	7	-	-	-	-	-	22	5	1	28
TOTAL----		-	-	2	70	315	805	2,626	4,953	8,771
53	1-2	-	-	-	-	1	12	15	14	42
	3	-	-	-	4	31	218	593	639	1,485
	4	-	-	1	8	21	259	1,315	1,752	3,356
	5	-	-	-	2	9	37	279	534	861
	6	-	-	-	-	4	10	30	71	115
	7	-	-	-	-	-	1	4	6	11
TOTAL----		-	-	1	14	66	537	2,236	3,016	5,870
63	1-2	-	-	-	-	-	-	-	1	1
	3	-	-	-	-	3	21	46	28	98
	4	-	-	-	-	4	24	157	156	341
	5	-	-	-	-	-	19	150	148	317
	6	-	-	-	-	-	11	53	48	112
	7	-	-	-	-	-	-	1	4	5
TOTAL----		-	-	-	-	7	75	407	385	874
24-54	1-7	-	-	5	20	51	246	648	1,002	1,972
25-35	1-7	-	-	-	-	-	-	-	1	1
81-85 1/	1-7	-	-	-	9	13	60	182	209	473
All Colors	8 2/	-	-	-	18	36	56	201	290	601
TOTAL, ALL----		18	453	4,688	25,507	92,089	298,816	1,373,588	3,479,796	5,274,955

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through November 27, 2003

QUALITY	LEAF	STAPLE						
COLOR		35	36	37	38	39	40 &+	35 to 40+
		Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	254,920	247,871	218,814	125,414	70,176	14,168	931,363
	3	183,990	152,085	148,852	39,172	20,688	6,722	551,509
	4	16,939	12,723	9,861	2,170	660	320	42,673
	5	262	229	106	48	6	1	652
	6	3	5	4	1	-	-	13
	7	-	-	-	-	-	-	-
TOTAL----		456,114	412,913	377,637	166,805	91,530	21,211	1,526,210
31	1-2	64,270	47,475	29,678	15,058	8,043	2,197	166,721
	3	1,188,437	503,096	181,232	30,737	12,618	4,558	1,920,678
	4	550,284	279,318	98,524	17,639	2,389	567	948,721
	5	24,170	13,449	5,821	1,333	162	28	44,963
	6	567	307	249	60	10	1	1,194
	7	9	8	6	1	-	-	24
TOTAL----		1,827,737	843,653	315,510	64,828	23,222	7,351	3,082,301
41	1-2	5,742	2,379	1,346	452	119	15	10,053
	3	497,658	162,656	44,610	5,492	593	140	711,149
	4	545,696	248,166	82,279	14,814	1,202	62	892,219
	5	56,859	33,614	17,313	4,606	426	7	112,825
	6	2,928	1,602	1,200	309	27	5	6,071
	7	209	69	69	17	1	2	367
TOTAL----		1,109,092	448,486	146,817	25,690	2,368	231	1,732,684
51	1-2	217	78	41	9	2	1	348
	3	9,527	3,140	1,723	213	26	7	14,636
	4	17,289	6,850	4,013	621	18	90	28,881
	5	3,366	1,997	1,324	195	6	-	6,888
	6	405	228	257	37	-	-	927
	7	50	24	11	2	-	-	87
TOTAL----		30,854	12,317	7,369	1,077	82	20	51,719
61	1-2	7	4	3	1	-	-	15
	3	48	25	7	3	-	-	83
	4	70	45	31	6	1	-	153
	5	12	14	43	5	-	-	74
	6	12	11	10	1	-	-	34
	7	5	2	1	-	-	-	8
TOTAL----		154	101	95	16	1	-	367
71	1-2	1	-	-	-	-	-	1
	3	-	3	2	-	-	-	5
	4	-	-	2	-	-	-	2
	5	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-
TOTAL----		1	3	4	-	-	-	8
12 & 22	1-2	6,430	3,728	1,782	853	618	108	13,519
	3	8,567	6,599	5,169	1,100	547	194	22,176
	4	1,422	1,055	864	216	20	7	3,584
	5	54	28	22	5	-	-	109
	6	-	2	-	-	-	-	2
	7	-	-	-	-	-	-	-
TOTAL----		16,473	11,412	7,837	2,174	1,185	309	39,390
32	1-2	1,286	829	614	435	275	75	3,514
	3	18,502	10,676	8,138	2,042	1,000	316	40,674
	4	17,634	9,182	7,679	2,174	299	113	37,081
	5	2,230	1,092	547	227	20	10	4,126
	6	91	63	34	20	1	-	209
	7	4	3	-	-	-	-	7
TOTAL----		39,747	21,845	17,012	4,898	1,595	514	85,611
42	1-2	265	245	245	97	29	4	885
	3	16,707	7,927	5,200	1,183	182	45	31,244
	4	34,543	15,255	10,726	3,038	242	52	63,856
	5	7,496	3,555	1,913	572	31	2	13,569
	6	474	278	195	58	5	2	1,012
	7	31	18	20	2	-	3	74
TOTAL----		59,516	27,278	18,299	4,950	489	108	110,640
52	1-2	30	12	18	8	2	1	71
	3	2,390	821	623	135	13	-	3,982
	4	7,699	3,008	2,644	525	20	1	13,897
	5	2,080	1,073	965	162	4	-	4,284
	6	171	174	178	19	2	-	544
	7	12	25	11	-	1	1	50
TOTAL----		12,382	5,113	4,439	849	42	3	22,828

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through November 27, 2003

QUALITY	LEAF	STAPLE							TOTAL
		35	36	37	38	39	40 &+	35 to 40+	
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	2	3	-	2	-	-	7	15
	3	42	25	25	5	1	-	98	321
	4	78	70	56	4	-	-	208	458
	5	25	19	34	6	1	-	85	240
	6	6	11	28	6	1	-	52	87
	7	1	1	2	-	-	-	4	4
TOTAL----		154	129	145	23	3	-	454	1,125
13 & 23	1-2	789	455	94	47	18	3	1,406	3,542
	3	596	470	263	27	6	3	1,365	3,627
	4	68	58	29	3	-	-	158	471
	5	6	7	-	-	-	-	13	23
	6	-	-	-	-	-	-	-	1
	7	-	-	-	-	-	-	-	-
TOTAL----		1,459	990	386	77	24	6	2,942	7,664
33	1-2	239	169	71	48	47	8	582	1,604
	3	2,001	1,669	1,194	241	100	38	5,243	9,456
	4	1,024	836	747	217	30	30	2,884	5,028
	5	135	38	38	18	5	-	234	765
	6	8	2	4	-	-	-	14	74
	7	-	-	-	-	-	-	-	4
TOTAL----		3,407	2,714	2,054	524	182	76	8,957	16,931
43	1-2	76	38	41	12	3	-	170	416
	3	2,488	2,117	1,330	328	40	5	6,308	10,026
	4	2,724	2,123	2,389	679	40	17	7,972	11,873
	5	394	293	305	113	6	3	1,114	1,842
	6	58	36	31	20	-	-	145	295
	7	9	4	-	1	-	-	14	42
TOTAL----		5,749	4,611	4,096	1,153	89	25	15,723	24,494
53	1-2	7	5	5	2	-	-	19	61
	3	516	346	342	67	5	-	1,276	2,761
	4	1,512	1,084	1,124	253	15	3	3,991	7,347
	5	389	385	531	72	6	-	1,383	2,244
	6	46	50	90	11	-	-	197	312
	7	1	2	5	6	-	-	14	25
TOTAL----		2,471	1,872	2,097	411	26	3	6,880	12,750
63	1-2	-	1	-	-	1	1	3	4
	3	9	9	5	2	-	-	25	123
	4	68	49	51	6	-	-	174	515
	5	68	41	28	2	-	-	139	456
	6	10	4	11	-	-	-	25	137
	7	2	-	1	-	-	-	3	8
TOTAL----		157	104	96	10	1	1	369	1,243
24-54	1-7	1,280	1,828	1,736	506	42	6	5,398	7,370
25-35	1-7	1	-	-	-	-	-	1	2
81-85 1/	1-7	346	446	444	133	32	6	1,407	1,880
All Colors	8 2/	68	29	29	7	-	-	133	734
TOTAL, ALL-----		3,567,162	1,795,844	906,102	274,131	120,913	29,870	6,694,022	11,968,977
EXTRANEEOUS MATTER		Average Staple -----							34.8
Bark - Level 1		Percent Tenderable -----							76.0
Bark - Level 2									
Grass - Level 1									
Grass - Level 2									
Prep - Level 1									
Prep - Level 2									
Other - Level 1									
Other - Level 2									

11,968,977 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf.

Table 2. -- **United States**: Percent distribution of color, leaf and staple for upland cotton classed:
November 27, 2003

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	*	*	*	0.1	0.3	0.6	1.1	1.8	2.1	2.1	1.8	1.0	0.6	0.1	11.6
	3	-	*	*	*	0.1	0.3	0.8	1.7	1.5	1.3	1.2	0.3	0.2	0.1	7.5
	4	-	*	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.5
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	-	-	-	-	-	-	-	*
	TOTAL----	*	*	*	0.1	0.4	0.9	2.0	3.6	3.8	3.4	3.2	1.4	0.8	0.2	19.7
31	1-2	*	*	*	*	*	0.1	0.5	0.7	0.5	0.4	0.2	0.1	0.1	*	2.7
	3	*	*	*	*	0.1	0.5	4.2	11.2	9.9	4.2	1.5	0.3	0.1	*	32.0
	4	-	*	*	*	*	0.1	0.8	3.2	4.6	2.3	0.8	0.1	*	*	12.1
	5	-	*	*	*	*	*	*	0.1	0.2	0.1	*	*	*	*	0.6
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	TOTAL----	*	*	*	*	0.2	0.8	5.5	15.2	15.3	7.0	2.6	0.5	0.2	0.1	47.5
41	1-2	-	-	*	*	*	*	*	0.1	*	*	*	*	*	*	0.2
	3	-	-	*	*	*	0.3	1.9	5.0	4.2	1.4	0.4	*	*	*	13.1
	4	-	-	*	*	*	0.1	0.9	3.3	4.6	2.1	0.7	0.1	*	*	11.7
	5	-	*	*	*	*	*	0.1	0.3	0.5	0.3	0.1	*	*	*	1.3
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	*	*	*	*	0.4	2.9	8.6	9.3	3.7	1.2	0.2	*	*	26.5
51	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.4
	4	-	-	*	*	*	*	0.1	0.2	0.1	0.1	*	*	*	*	0.5
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	*	*	*	*	0.2	0.3	0.3	0.1	0.1	*	*	*	1.0
61	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
71	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
12 & 22	1-2	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	*	0.4
	3	*	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	*	0.4
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	*	*	*	*	0.1	0.1	0.2	0.2	0.1	0.1	0.1	*	*	*	0.9
32	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	*	*	*	*	*	0.1	0.1	0.2	0.2	0.1	0.1	*	*	*	0.8
	4	-	*	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	0.6
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	*	*	*	*	0.1	0.1	0.2	0.3	0.3	0.2	0.1	*	*	*	1.5
42	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	0.1	0.2	0.1	0.1	*	*	*	*	0.7
	4	-	-	*	*	*	*	0.1	0.3	0.3	0.1	0.1	*	*	*	1.0
	5	-	-	*	*	*	*	*	*	0.1	*	*	*	*	*	0.2
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	*	*	*	*	0.1	0.3	0.6	0.5	0.2	0.2	*	*	*	2.0
52	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	*	0.2
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.4

* Less than 0.05 percent.

Table 2. -- **United States**: Percent distribution of color, leaf and staple for upland cotton classed:
November 27, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	*	-	*	*	*	*	-	*	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	TOTAL----	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
13 & 23	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
33	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	-	-	-	-	-	-	-	-	*
	TOTAL----	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
43	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	*	*	*	*	-	*	-	-	*
	TOTAL----	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
53	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	TOTAL----	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
63	1-2	-	-	-	-	-	-	*	-	*	*	-	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	-	*	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
24-54	1-7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
25-35	1-7	-	-	-	-	-	-	*	*	*	-	*	-	-	-	*
81-85 1/	1-7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
TOTAL, ALL-----		*	*	*	0.2	0.8	2.5	11.5	29.1	29.8	15.0	7.6	2.3	1.0	0.2	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	1.6															
Bark - Level 2	*															
Grass - Level 1	0.7															
Grass - Level 2	*															
Prep - Level 1	0.3															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 1	*															

11,968,977 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 3. -- *Alabama*: Percent distribution of color, leaf and staple for upland cotton classed:
November 27, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	*	0.1	*	*	*	*	*	-	0.2
	3	-	-	-	-	*	0.1	0.4	0.6	0.4	0.2	*	*	-	-	1.7
	4	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	-	-	0.4
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	0.1	0.5	0.8	0.6	0.3	*	*	-	-	2.3
31	1-2	-	-	-	-	*	*	0.2	0.4	0.2	*	*	*	*	-	0.9
	3	-	-	-	*	*	0.7	5.0	11.3	10.7	3.3	0.3	*	*	-	31.4
	4	-	-	-	*	*	0.2	3.4	8.4	7.1	3.2	0.4	*	*	-	22.8
	5	-	-	-	-	*	*	0.3	0.8	0.6	0.2	*	*	-	-	1.9
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL----		-	-	-	*	0.1	1.0	8.9	20.8	18.7	6.8	0.7	*	*	-	57.0
41	1-2	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	-	0.2
	3	-	-	-	-	*	0.3	2.9	7.1	5.5	1.1	0.1	*	*	-	17.1
	4	-	-	-	-	*	0.1	2.2	6.0	5.4	1.8	0.4	*	*	-	16.0
	5	-	-	-	-	*	*	0.4	1.1	0.9	0.3	0.1	*	-	-	2.8
	6	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.4
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	-	*	0.5	5.6	14.4	11.9	3.3	0.6	*	*	-	36.4
51	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	0.1	0.2	0.1	*	*	-	-	-	0.4
	4	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	-	0.4
	5	-	-	-	-	*	*	*	0.1	*	*	*	-	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	*	-	*	*	*	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.2	0.4	0.2	*	*	*	-	-	1.0
61	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	-	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
32	1-2	-	-	-	-	-	*	*	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	-	0.2
	4	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.5
42	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	-
	3	-	-	-	-	*	*	0.3	0.4	0.2	*	*	*	-	-	1.0
	4	-	-	-	-	*	*	0.2	0.4	0.3	0.1	*	*	-	-	0.9
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	0.1	0.5	0.9	0.5	0.1	*	*	*	-	2.0
52	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	-
	3	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.3
	4	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.2
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.2	0.3	0.1	*	*	-	-	-	0.6

* Less than 0.05 percent.

Table 3. -- **Alabama**: Percent distribution of color, leaf and staple for upland cotton classed:
November 27, 2003

QUALITY		STAPLE														
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	*	*	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	*	-	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	*	*	-	*	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
43	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
53	1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	*	*	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	*	*	-	*	-	-	-	-	-	*
All Colors	8 2/	-	-	-	-	-	*	-	*	*	-	-	-	-	-	*
TOTAL, ALL-----		-	-	-	*	0.1	1.7	16.0	37.9	32.3	10.6	1.3	0.1	*	-	100.0
EXTRANEIOUS MATTER																
Bark - Level 1	1.4															Average Staple 34.4
Bark - Level 2	*															Percent Tenderable 89.5
Grass - Level 1	0.2															
Grass - Level 2	*															
Prep - Level 1	0.4															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	-															

565,329 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 4. -- **Arizona**: Percent distribution of color, leaf and staple for upland cotton classed:
November 27, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.1	1.0	6.2	17.9	17.4	6.9	0.6	*	*	50.1
	3	-	-	-	-	-	*	0.1	0.8	2.4	2.5	1.4	0.2	*	*	7.5
	4	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	0.2
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	*	*	0.1	1.1	7.1	20.4	20.0	8.3	0.8	0.1	*	57.9
31	1-2	-	-	-	-	*	*	0.2	2.0	6.3	7.4	4.5	0.6	*	*	21.1
	3	-	-	-	-	*	*	0.1	0.8	2.8	3.5	2.4	0.5	0.1	-	10.3
	4	-	-	-	-	-	*	*	0.1	0.1	0.2	0.1	*	*	-	0.6
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	0.4	2.9	9.2	11.2	7.0	1.1	0.1	*	32.0
41	1-2	-	-	-	-	-	*	*	0.3	0.4	0.3	0.2	*	*	-	1.2
	3	-	-	-	-	-	*	*	0.2	0.5	0.5	0.3	*	*	-	1.5
	4	-	-	-	-	-	*	*	*	0.1	*	*	*	*	-	0.2
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	*	*	0.5	0.9	0.8	0.5	0.1	*	-	2.9
51	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
61	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	0.3	0.6	0.5	0.1	*	*	-	1.4
	3	-	-	-	-	-	*	*	0.2	0.5	0.5	0.2	*	*	-	1.4
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	0.1	0.4	1.1	1.0	0.3	*	*	-	3.0
32	1-2	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	0.5
	3	-	-	-	-	-	*	0.1	0.3	0.6	0.5	0.3	*	*	-	1.8
	4	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	0.5
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.1	0.5	1.0	0.8	0.4	0.1	*	-	2.9
42	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	-	*	*	0.1	0.1	0.2	0.1	*	-	-	0.5
	4	-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	-	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	0.1	0.2	0.2	0.3	0.1	*	*	-	0.9
52	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*

* Less than 0.05 percent.

Table 4. -- **Arizona**: Percent distribution of color, leaf and staple for upland cotton classed:
November 27, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
33	1-2	-	-	-	-	-	*	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
43	1-2	-	-	-	-	-	-	*	-	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	0.1	*	*	*	*	-	-	0.2
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL-----		-	-	-	*	*	0.1	1.9	11.9	32.9	34.1	16.7	2.1	0.2	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	1.1															
Bark - Level 2	"															
Grass - Level 1	0.7															
Grass - Level 2	"															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	0.2															
Other - Level 2	-															

251,420 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 5. -- **Arkansas**: Percent distribution of color, leaf and staple for upland cotton classed:
November 27, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.3
	3	-	-	-	-	-	*	0.3	1.2	1.0	0.5	0.1	*	*	-	3.1
	4	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	0.3
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.3	1.4	1.2	0.6	0.2	*	*	-	3.7
31	1-2	-	-	-	-	*	*	0.2	0.5	0.2	0.1	*	-	-	-	0.9
	3	-	-	-	-	*	0.1	3.4	15.2	17.0	7.3	1.4	*	*	-	44.6
	4	-	-	-	-	*	*	0.4	4.2	9.9	4.2	0.6	*	*	-	19.4
	5	-	-	-	-	-	-	*	0.1	0.3	0.1	*	*	*	-	0.5
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	0.2	4.1	19.9	27.4	11.7	2.1	*	*	-	65.4
41	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	3	-	-	-	-	*	*	0.7	3.9	5.2	2.2	0.3	*	*	-	12.4
	4	-	-	-	-	*	*	0.3	3.1	7.7	3.6	0.5	*	*	-	15.2
	5	-	-	-	-	-	*	*	0.1	0.7	0.4	*	*	*	-	1.2
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	1.1	7.2	13.6	6.2	0.8	*	*	-	29.0
51	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.2
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	0.4
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
32	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	0.3
	4	-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	-	0.3
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	0.2	0.3	0.1	*	*	*	-	0.6
42	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	0.2
	4	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	-	-	0.5
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	0.1	0.2	0.3	0.1	*	*	-	-	0.8
52	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	0.1	*	*	*	-	-	-	0.1

* Less than 0.05 percent.

Table 5. -- **Arkansas**: Percent distribution of color, leaf and staple for upland cotton classed:
November 27, 2003

QUALITY		STAPLE														
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL-----		-	-	-	-	-	0.2	5.6	29.1	43.0	18.8	3.1	0.1	*	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.2														
Bark - Level 2		-														
Grass - Level 1		0.1														
Grass - Level 2		-														
Prep - Level 1		0.1														
Prep - Level 2		*														
Other - Level 1		-														
Other - Level 1		-														

1,434,529 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 6. — **California**: Percent distribution of color, leaf and staple for upland cotton classed:
November 27, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.1	0.9	3.6	10.4	18.6	14.9	8.7	1.8	58.8
	3	-	-	-	-	*	*	*	0.1	0.9	4.0	8.5	3.6	2.5	0.8	20.5
	4	-	-	-	-	-	-	*	*	*	0.1	0.3	0.1	0.1	*	0.6
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.2	1.0	4.5	14.5	27.3	18.6	11.2	2.6	80.0
31	1-2	-	-	-	-	*	*	*	0.2	0.6	1.2	1.4	1.6	1.0	0.3	6.3
	3	-	-	-	-	*	*	*	0.1	0.4	1.7	3.2	1.7	1.5	0.6	9.1
	4	-	-	-	-	-	-	*	*	0.1	0.3	0.7	0.3	0.1	0.1	1.5
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	*	*	0.3	1.0	3.1	5.3	3.7	2.6	0.9	17.0	
41	1-2	-	-	-	-	-	*	*	*	0.1	*	0.1	*	*	*	0.3
	3	-	-	-	-	*	*	*	*	*	0.2	0.2	0.1	0.1	*	0.6
	4	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.3
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	0.1	0.3	0.4	0.2	0.1	*	1.2
51	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	0.2
61	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
12 & 22	1-2	-	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	0.3
	3	-	-	-	-	*	*	*	*	*	*	*	*	0.1	*	0.2
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	0.6
32	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.2
	3	-	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	0.3
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	*	*	*	*	0.1	0.1	0.2	0.1	0.6	
42	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.2
52	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1

* Less than 0.05 percent.

Table 6. -- **California**: Percent distribution of color, leaf and staple for upland cotton classed:
November 27, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
TOTAL----		-	-	-	-	-	-	*	-	*	*	*	*	*	-	*
13 & 23	1-2	-	-	-	-	-	-	-	*	-	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	-	-	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
33	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	-	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
43	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	-	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
53	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	-	*	-	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*
	3	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	*	-	*	*	*	*
24-54	1-7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	*	-	*	*	*	*	*	*
All Colors	8 2/	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL, ALL----		-	-	-	-	*	*	0.2	1.4	5.7	18.2	33.5	22.8	14.3	3.7	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.1														
Bark - Level 2		-														
Grass - Level 1		0.3														
Grass - Level 2		-														
Prep - Level 1		*														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		-														

805,486 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 7. — **Florida**: Percent distribution of color, leaf and staple for upland cotton classed:
November 27, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	0.1	0.1	-	-	-	-	-	0.2
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	*	0.1	0.1	*	-	-	-	-	0.3
31	1-2	-	-	-	-	-	-	0.3	0.6	0.1	*	-	-	-	-	1.1
	3	-	-	-	-	*	0.2	3.4	13.4	9.1	1.3	*	-	-	-	27.5
	4	-	-	-	-	-	*	0.4	1.9	2.1	0.4	*	-	-	-	4.7
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	*	0.2	4.1	15.8	11.4	1.7	0.1	-	-	-	33.3
41	1-2	-	-	-	-	-	-	0.2	0.4	0.1	*	-	-	-	-	0.8
	3	-	-	-	-	*	0.3	5.6	21.7	12.1	1.2	*	-	-	-	40.9
	4	-	-	-	-	-	0.1	1.2	7.5	6.8	0.8	*	-	-	-	16.4
	5	-	-	-	-	-	-	*	0.1	0.1	*	-	-	-	-	0.2
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	*	0.4	7.0	29.7	19.1	2.1	*	-	-	-	58.3
51	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	0.7	1.8	0.5	*	-	-	-	-	3.1
	4	-	-	-	-	-	*	0.5	1.6	0.7	*	-	-	-	-	2.9
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	*	*	1.3	3.4	1.2	*	-	-	-	-	6.0
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	1-2	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
42	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	0.1	0.2	0.2	*	*	-	-	-	0.5
	4	-	-	-	-	-	-	0.1	0.3	0.1	*	-	-	-	-	0.5
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	*	0.2	0.5	0.3	0.1	*	-	-	-	1.1
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	0.1	0.1	*	-	-	-	-	-	0.3
	4	-	-	-	-	-	*	0.1	0.3	0.2	*	-	-	-	-	0.6
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	*	0.2	0.5	0.2	*	-	-	-	-	0.9

* Less than 0.05 percent.

Table 7. -- **Florida**: Percent distribution of color, leaf and staple for upland cotton classed:
November 27, 2003

QUALITY		STAPLE														
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
43	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL-----		-	-	-	-	*	0.7	12.9	50.2	32.4	3.9	0.1	-	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.8														
Bark - Level 2		"														
Grass - Level 1		0.1														
Grass - Level 2		-														
Prep - Level 1		0.5														
Prep - Level 2		"														
Other - Level 1		-														
Other - Level 1		-														

89,154 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 8. -- **Georgia**: Percent distribution of color, leaf and staple for upland cotton classed:
November 27, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	-	-	-	-	0.1	0.4	0.2	-	-	-	-	-	0.8
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	0.2	0.4	0.3	-	-	-	-	-	-	0.9
31	1-2	-	-	-	-	-	-	0.1	0.2	0.1	-	-	-	-	-	0.5
	3	-	-	-	-	-	0.3	4.2	10.7	7.1	1.2	0.1	-	-	-	23.7
	4	-	-	-	-	-	-	0.6	2.0	1.7	0.4	0.1	-	-	-	4.8
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	0.4	4.9	12.9	8.9	1.6	0.2	-	-	-	29.0
41	1-2	-	-	-	-	-	-	0.1	0.1	-	-	-	-	-	-	0.3
	3	-	-	-	-	-	0.7	7.1	17.1	10.6	1.6	0.3	-	-	-	37.5
	4	-	-	-	-	-	0.2	2.6	8.7	8.3	2.1	0.7	0.1	-	-	22.7
	5	-	-	-	-	-	-	-	0.2	0.2	0.1	-	-	-	-	0.5
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	1.0	9.8	26.1	19.2	3.8	1.0	0.2	-	-	61.0
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	0.1	0.4	0.7	0.4	0.1	-	-	-	-	1.6
	4	-	-	-	-	-	-	0.3	0.8	0.7	0.2	0.1	-	-	-	2.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	0.1	0.7	1.6	1.1	0.3	0.2	-	-	-	3.9
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	0.1	0.1	0.1	-	-	-	-	-	0.3
	4	-	-	-	-	-	-	-	0.1	-	-	-	-	-	-	0.2
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	0.1	0.2	0.1	-	-	-	-	-	-	0.4
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	0.3	0.6	0.3	0.1	-	-	-	-	1.4
	4	-	-	-	-	-	-	0.3	0.8	0.6	0.2	-	-	-	-	2.0
	5	-	-	-	-	-	-	-	0.1	-	-	-	-	-	-	0.2
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	0.1	0.6	1.5	1.0	0.2	-	-	-	-	3.6
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	0.1	0.1	-	-	-	-	-	0.3
	4	-	-	-	-	-	-	0.1	0.3	0.3	0.1	-	-	-	-	0.8
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	0.2	0.4	0.4	0.1	-	-	-	-	-	1.2

* Less than 0.05 percent.

Table 8. -- **Georgia**: Percent distribution of color, leaf and staple for upland cotton classed:
November 27, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	*	*	*	*	-	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	-	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	-	*	*	-	-	-	-	-	*
33	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
43	1-2	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	*	-	-	-	-	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	*	*	-	-	*	*	-	*	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	*	*	-	*	-	-	-	-	*
TOTAL, ALL-----		-	-	-	*	*	1.6	16.5	43.1	31.0	6.0	1.5	0.2	*	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	1.1															
Bark - Level 2	*															
Grass - Level 1	0.1															
Grass - Level 2	-															
Prep - Level 1	0.8															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	-															

1,244,447 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 9. — **Kansas**: Percent distribution of color, leaf and staple for upland cotton classed:
November 27, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	0.2	0.2	*	0.2	0.5	0.6	0.3	*	-	-	-	2.1
	3	-	-	0.2	0.7	1.6	1.4	2.3	3.4	5.4	2.4	0.1	-	-	-	17.6
	4	-	-	0.1	0.3	0.5	0.9	1.2	1.2	1.9	0.9	*	-	-	-	6.9
	5	-	-	-	*	*	0.1	0.1	0.1	0.1	0.1	-	-	-	-	0.5
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	0.3	1.2	2.3	2.5	3.9	5.2	8.1	3.7	0.2	-	-	-	27.1
31	1-2	-	-	0.1	0.2	0.1	*	-	*	-	-	-	-	-	-	0.5
	3	-	*	0.4	1.5	1.8	1.7	1.2	0.8	0.1	*	-	-	-	-	9.3
	4	-	*	0.3	1.0	3.1	5.7	6.2	2.9	2.2	0.3	*	-	-	-	21.8
	5	-	-	*	0.4	1.1	2.8	4.8	1.6	0.8	0.1	-	-	-	-	11.7
	6	-	-	-	*	*	0.5	1.1	0.3	0.1	*	-	-	-	-	2.0
	7	-	-	-	-	*	0.1	0.1	*	-	-	-	-	-	-	0.3
TOTAL—		-	0.1	0.8	3.0	6.1	11.0	14.0	6.1	3.9	0.6	*	-	-	-	45.6
41	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	*	0.1	0.1	*	-	-	*	-	-	-	-	0.2
	4	-	-	*	0.1	0.4	0.6	0.3	0.1	0.1	*	-	-	-	-	1.6
	5	-	-	-	0.2	0.5	1.7	1.9	0.6	0.2	0.1	-	-	-	-	5.3
	6	-	-	-	0.2	0.1	1.8	2.3	0.9	0.2	0.3	-	-	-	-	5.8
	7	-	-	-	0.2	0.2	0.5	1.1	0.6	0.2	0.1	-	-	-	-	2.8
TOTAL—		-	-	*	0.7	1.4	4.7	5.6	2.2	0.8	0.5	-	-	-	-	15.8
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	*	-	-	-	-	*	-	-	-	-	-	0.2	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	*	*	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	*	*	*	*	*	-	-	-	-	-	-	0.1
TOTAL—		-	-	*	*	0.1	*	-	0.1	-	-	-	-	-	-	0.2
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	0.1
	3	-	-	*	*	0.1	*	*	*	0.2	0.2	*	-	-	-	0.7
	4	-	-	*	*	*	*	*	*	0.1	*	*	-	-	-	0.3
	5	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	*	*	0.1	0.1	0.1	*	0.3	0.3	*	-	-	-	1.1
32	1-2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	3	-	-	-	*	0.1	0.1	*	*	*	*	-	-	-	-	0.4
	4	-	-	-	*	0.1	0.3	0.3	0.1	0.1	*	-	-	-	-	1.0
	5	-	-	-	*	*	0.3	0.2	*	*	-	-	-	-	-	0.7
	6	-	-	-	-	*	0.1	0.1	*	-	-	-	-	-	-	0.2
	7	-	-	-	-	*	*	*	-	-	-	-	-	-	-	0.1
TOTAL—		-	-	-	0.1	0.4	0.7	0.7	0.2	0.2	*	-	-	-	-	2.3
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	*	-	-	-	-	-	-	-	*
	4	-	-	0.1	0.1	-	-	*	*	*	-	-	-	-	-	0.3
	5	-	-	-	0.1	0.2	0.2	0.1	*	*	-	-	-	-	-	0.6
	6	-	-	-	*	0.2	0.6	0.3	0.1	*	-	-	-	-	-	1.2
	7	-	-	-	*	0.1	0.3	0.3	0.1	*	-	-	-	-	-	0.9
TOTAL—		-	-	0.1	0.3	0.5	1.0	0.7	0.3	0.1	-	-	-	-	-	2.9
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL—		-	-	-	-	-	-	-	-	*	-	-	-	-	-	*

* Less than 0.05 percent.

Table 9. -- **Kansas**: Percent distribution of color, leaf and staple for upland cotton classed:
November 27, 2003

QUALITY	LEAF	STAPLE														TOTAL
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	*	*	*	-	-	*	*	-	-	-	-	
	4	-	-	*	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL—		-	-	*	*	*	*	-	-	*	*	-	-	-	-	
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	*	0.1	*	0.1	0.1	0.1	*	-	-	-	-	
	4	-	-	-	*	*	*	0.1	*	0.1	*	-	-	-	-	
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	
	6	-	-	-	-	*	-	*	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL—		-	-	-	*	0.1	0.1	0.3	0.2	0.2	*	-	-	-	-	
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	*	-	-	-	*	*	-	-	-	-	-	
	5	-	-	-	-	-	-	0.1	0.1	*	-	-	-	-	-	
	6	-	-	-	-	-	-	0.2	*	-	-	-	-	-	-	
	7	-	-	-	-	-	0.2	*	*	-	-	-	-	-	-	
TOTAL—		-	-	-	*	-	0.2	0.3	0.1	*	-	-	-	-	-	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	*	*	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	
TOTAL—		-	-	-	-	-	*	-	*	-	-	-	-	-	-	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
24-54	1-7	-	-	-	-	*	*	0.2	*	-	-	-	-	-	-	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	*	*	-	-	-	-	-	-	-	
All Colors	8 2/	-	-	-	0.2	0.3	0.3	0.9	1.0	0.2	*	-	-	-	-	
TOTAL, ALL-----		-	0.1	1.3	5.5	11.3	20.8	26.5	15.4	13.8	5.2	0.3	-	-	-	
EXTRANEEOUS MATTER																
Bark - Level 1	12.8															
Bark - Level 2	-															
Grass - Level 1	0.1															
Grass - Level 2	-															
Prep - Level 1	0.1															
Prep - Level 2	-															
Other - Level 1	0.1															
Other - Level 1	-															
		Average Staple														
		Percent Tenderable														
		32.9														
		28.0														

11,014 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 10. -- *Louisiana*: Percent distribution of color, leaf and staple for upland cotton classed:
November 27, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	0.1	0.5	0.8	0.3	0.1	*	*	*	-	1.7
	3	-	-	-	-	*	0.1	0.9	1.9	1.1	0.3	0.1	*	*	-	4.2
	4	-	-	-	-	-	-	-	*	*	-	-	*	*	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	0.2	1.3	2.6	1.4	0.4	0.1	*	*	-	6.0
31	1-2	-	-	-	-	*	0.1	0.6	1.0	0.4	0.1	*	*	-	-	2.3
	3	-	-	-	-	*	0.6	6.7	19.1	13.2	4.0	1.1	0.1	*	*	45.0
	4	-	-	-	-	*	*	0.7	3.8	4.6	2.0	1.2	0.4	*	*	12.8
	5	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	0.4
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	TOTAL—	-	-	-	-	*	0.8	8.0	24.0	18.3	6.2	2.4	0.5	*	*	60.5
41	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	*	0.2	1.7	5.1	3.8	1.1	0.2	*	*	-	12.2
	4	-	-	-	-	*	*	0.7	4.2	5.6	2.5	1.3	0.4	*	*	14.9
	5	-	-	-	-	-	*	*	0.2	0.6	0.5	0.6	0.2	*	*	2.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	*	*	-	-	*	*	-	*
	TOTAL—	-	-	-	-	*	0.2	2.5	9.5	10.0	4.2	2.2	0.7	0.1	*	29.3
51	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	-	-	0.5
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	-	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	TOTAL—	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
32	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	0.2	0.2	0.1	*	*	-	-	-	0.6
	4	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	-	0.4
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	0.1	0.3	0.4	0.2	0.1	*	*	*	-	1.0
42	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	0.1	0.3	0.3	0.1	*	*	-	-	-	0.8
	4	-	-	-	-	*	*	0.2	0.4	0.3	0.1	*	*	*	-	1.1
	5	-	-	-	-	-	*	*	*	0.1	*	*	-	-	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	*	0.1	0.5	0.7	0.5	0.2	*	*	*	-	2.0
52	1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	-	-	-	-	-	-	0.1
	4	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.3
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	*	*	0.1	0.2	0.2	*	*	*	-	-	0.5

* Less than 0.05 percent.

Table 10. — **Louisiana** : Percent distribution of color, leaf and staple for upland cotton classed:
November 27, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EXTRANEEOUS MATTER																
Bark - Level 1		0.9														
Bark - Level 2		*														
Grass - Level 1		0.4														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

1,013,666 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 11. -- **Mississippi**: Percent distribution of color, leaf and staple for upland cotton classed:
November 27, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.2	0.4	0.1	*	*	-	-	-	0.8
	3	-	-	-	-	*	0.1	0.7	1.8	1.0	0.3	*	*	*	-	3.8
	4	-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	-	0.3
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	*	0.1	0.9	2.2	1.2	0.3	*	*	*	-	4.9
31	1-2	-	-	-	-	*	0.1	0.4	0.7	0.2	*	*	-	-	-	1.5
	3	-	-	-	-	*	0.4	6.1	16.2	12.3	3.3	0.3	*	*	*	38.6
	4	-	-	-	-	*	0.1	1.5	6.3	8.0	3.3	0.6	0.1	*	-	19.8
	5	-	-	-	-	-	*	*	0.2	0.4	0.2	*	*	*	-	0.9
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	*	0.6	8.0	23.4	21.0	6.8	0.9	0.1	*	*	60.8
41	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	*	0.1	1.4	3.8	3.4	0.9	0.1	*	*	-	9.7
	4	-	-	-	-	*	*	1.0	4.8	7.1	3.1	0.6	0.1	*	-	16.8
	5	-	-	-	-	*	*	0.1	0.6	1.2	0.7	0.2	*	*	-	2.7
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	TOTAL	-	-	-	-	*	0.2	2.5	9.2	11.8	4.7	0.9	0.1	*	-	29.4
51	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	-	0.3
	5	-	-	-	-	-	*	*	0.1	*	*	*	*	*	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	TOTAL	-	-	-	-	*	0.1	0.2	0.1	*	*	*	*	*	-	0.6
61	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
32	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.3	0.2	*	*	*	-	-	0.7
	4	-	-	-	-	*	*	0.1	0.3	0.3	0.1	*	*	-	-	0.9
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	*	*	0.3	0.6	0.6	0.2	*	*	-	-	1.7
42	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	-	0.4
	4	-	-	-	-	*	*	0.1	0.5	0.5	0.2	*	*	*	-	1.3
	5	-	-	-	-	-	*	*	0.1	0.2	0.1	*	-	*	-	0.4
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	*	*	0.3	0.8	0.7	0.2	*	*	*	-	2.1
52	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	0.1	*	*	*	*	*	-	-	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	-
	TOTAL	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	0.3

* Less than 0.05 percent.

Table 11. — **Mississippi**: Percent distribution of color, leaf and staple for upland cotton classed:
November 27, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
43	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
53	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL-----		-	-	-	-	*	0.9	12.3	36.7	35.6	12.3	1.9	0.2	*	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.7														
Bark - Level 2		*														
Grass - Level 1		0.2														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

1,918,791 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 12. — *Missouri*: Percent distribution of color, leaf and staple for upland cotton classed:
November 27, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	*	0.1	0.3	0.2	0.1	*	*	-	-	0.7
	3	-	-	-	-	-	*	0.5	2.6	2.5	1.0	0.2	*	-	-	6.8
	4	-	-	-	-	-	-	*	0.1	0.3	0.2	*	-	-	-	0.6
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	0.6	3.0	3.0	1.2	0.2	*	-	-	8.1
31	1-2	-	-	-	-	-	*	0.2	0.6	0.5	0.2	*	-	-	-	1.6
	3	-	-	-	-	-	0.1	1.7	11.8	19.8	12.9	3.6	*	-	-	49.9
	4	-	-	-	-	-	*	0.2	2.5	10.1	9.8	2.4	*	-	-	24.9
	5	-	-	-	-	-	-	*	*	0.3	0.4	0.1	-	-	-	0.8
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	TOTAL----	-	-	-	-	-	0.1	2.0	15.0	30.6	23.3	6.1	*	-	-	77.1
41	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	-	*	0.1	0.8	2.4	2.0	0.7	*	-	-	6.0
	4	-	-	-	-	-	*	0.1	0.5	2.7	3.0	1.1	*	-	-	7.4
	5	-	-	-	-	-	*	*	*	0.1	0.3	0.1	*	-	-	0.5
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	TOTAL----	-	-	-	-	-	*	0.2	1.4	5.3	5.3	1.9	*	-	-	14.0
51	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
61	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
32	1-2	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	0.1	*	*	-	-	-	0.2
	4	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	TOTAL----	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	0.4
42	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	*	*	*	0.1	*	*	*	-	-	0.2
52	1-2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*

* Less than 0.05 percent.

Table 12. -- **Missouri**: Percent distribution of color, leaf and staple for upland cotton classed:
November 27, 2003

QUALITY		STAPLE														
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
33	1-2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
TOTAL, ALL-----		-	-	-	-	-	0.1	2.8	19.5	39.2	30.1	8.2	*	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.1														
Bark - Level 2		-														
Grass - Level 1		*														
Grass - Level 2		-														
Prep - Level 1		0.1														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

485,857 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 13. — **New Mexico**: Percent distribution of color, leaf and staple for upland cotton classed:
November 27, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	0.1	0.5	5.9	22.5	23.1	4.8	1.3	0.1	0.1	74.1
	3	-	-	-	-	-	*	0.2	0.5	0.9	2.6	2.4	1.7	0.2	*	8.5
	4	-	-	-	-	-	-	*	0.1	0.1	0.1	0.1	0.2	*	*	0.6
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	0.1	0.6	6.2	16.2	23.4	25.8	7.3	3.2	0.3	83.2
31	1-2	-	-	-	-	-	*	0.2	0.7	3.6	2.8	1.1	0.3	0.1	*	8.8
	3	-	-	-	-	-	-	*	0.7	0.8	1.3	1.2	0.5	0.1	*	4.7
	4	-	-	-	-	-	-	-	*	0.1	0.2	0.5	0.2	*	*	1.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	-	*	0.2	0.8	4.3	3.6	2.6	2.1	0.8	0.1	14.6
41	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	-	-	*	0.2	0.1	0.1	0.1	*	-	-	0.5
	4	-	-	-	-	-	-	*	*	*	*	0.1	*	-	-	0.2
	5	-	-	-	-	-	-	-	*	-	-	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	0.1	0.2	0.2	0.1	0.3	*	-	-	0.9
51	1-2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	*	*	0.1	0.1	-	-	-	0.3
	3	-	-	-	-	-	-	*	*	*	0.1	*	*	*	*	0.2
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	0.5
32	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	-	-	*	*	*	0.2	0.2	-	-	-	0.4
	4	-	-	-	-	-	-	-	-	-	*	0.1	-	-	-	0.2
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	*	*	0.1	*	0.2	0.3	-	-	-	0.7
42	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	-	*	*	-	-	0.1
	4	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	*	0.1	*	-	0.1	*	-	-	0.2
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	*	-	-	-	-	-	*

* Less than 0.05 percent.

Table 13. -- **New Mexico**: Percent distribution of color, leaf and staple for upland cotton classed:
November 27, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL		-	-	-	-	*	0.1	0.8	7.1	21.0	27.4	28.9	10.2	4.1	0.4	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.1														Average Staple 36.3
Bark - Level 2		-														Percent Tenderable 93.2
Grass - Level 1		0.3														
Grass - Level 2		-														
Prep - Level 1		-														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 2		-														

20,938 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 14. -- **North Carolina**: Percent distribution of color, leaf and staple for upland cotton classed:
November 27, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	*	0.6
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.7
31	1-2	-	-	-	-	*	*	0.2	0.4	0.3	0.1	*	*	-	-	1.0
	3	-	-	-	*	*	0.6	4.8	12.5	14.7	6.4	0.6	*	*	-	39.6
	4	-	-	-	-	*	*	0.7	2.8	3.5	1.9	0.3	*	*	-	9.2
	5	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	0.3
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	*	*	0.8	5.8	15.7	18.6	8.4	0.9	*	*	-	50.2
41	1-2	-	-	-	-	-	*	0.1	0.1	0.1	*	*	-	-	-	0.3
	3	-	-	-	*	*	0.5	4.1	10.9	11.2	4.1	0.4	*	-	-	31.1
	4	-	-	-	*	*	0.1	1.1	4.3	5.5	2.7	0.4	*	*	-	14.1
	5	-	-	-	-	-	*	0.1	0.4	0.5	0.2	*	*	-	-	1.2
	6	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.2
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	*	*	0.6	5.4	15.7	17.3	7.1	0.8	*	*	-	46.9
51	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.2
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	-	0.3
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	-	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
32	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	0.3
	4	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.6
42	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	0.1	0.2	0.1	*	*	-	-	-	0.4
	4	-	-	-	-	*	*	*	0.2	0.2	*	*	*	-	-	0.4
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	*	*	*	0.2	0.4	0.3	0.1	*	*	-	-	1.0
52	1-2	-	-	-	-	-	*	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*

* Less than 0.05 percent.

Table 14. -- **North Carolina**: Percent distribution of color, leaf and staple for upland cotton classed:
November 27, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	-	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
33	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	-	*	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
24-54	1-7	-	-	-	*	*	-	*	*	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
All Colors	8 2/	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
TOTAL, ALL-----		-	-	-	*	*	1.4	11.6	32.5	36.9	15.8	1.8	*	*	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	0.9															
Bark - Level 2	-															
Grass - Level 1	0.9															
Grass - Level 2	-															
Prep - Level 1	0.4															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	-															

632,717 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 15. -- **Oklahoma:** Percent distribution of color, leaf and staple for upland cotton classed:
November 27, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	*	*	*	0.2	0.8	3.1	9.7	17.7	20.1	10.6	0.5	*	-	62.8
	3	-	-	*	*	0.1	0.2	0.7	2.3	3.9	3.9	2.0	0.2	*	-	13.3
	4	-	-	-	*	*	*	0.1	0.2	0.2	0.2	*	*	-	-	0.8
	5	-	-	-	*	*	*	*	*	*	*	-	-	-	-	0.1
	6	-	-	-	-	-	*	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	TOTAL----	-	*	*	0.1	0.3	1.1	3.9	12.2	21.8	24.2	12.6	0.7	*	-	77.0
31	1-2	-	*	*	*	*	0.2	0.3	0.8	1.7	2.1	1.3	0.1	*	-	6.6
	3	-	*	*	*	0.1	0.3	0.5	1.0	1.9	2.6	2.0	0.2	*	-	8.6
	4	-	-	-	*	0.1	0.3	0.3	0.3	0.3	0.3	0.2	*	*	-	1.8
	5	-	-	*	*	0.1	0.1	0.1	0.1	*	*	*	-	-	-	0.4
	6	-	-	-	*	*	*	*	*	*	*	-	-	-	-	0.1
	7	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	TOTAL----	-	*	*	*	0.4	0.9	1.2	2.2	3.9	5.1	3.6	0.3	*	-	17.6
41	1-2	-	-	-	-	-	*	*	*	0.1	0.1	*	-	-	-	0.3
	3	-	-	*	*	*	*	*	*	0.1	0.1	*	*	-	-	0.3
	4	-	-	-	*	*	0.1	0.1	*	*	*	*	-	-	-	0.3
	5	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	-	0.3
	6	-	-	-	-	*	*	*	*	*	-	-	-	-	-	0.1
	7	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
	TOTAL----	-	-	*	*	0.1	0.2	0.2	0.2	0.2	0.2	0.1	*	-	-	1.2
51	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
	4	-	-	-	-	-	-	*	-	-	-	-	-	-	*	*
	5	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	*	-	*	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	TOTAL----	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
61	1-2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
12 & 22	1-2	-	*	*	*	*	*	0.1	0.3	0.2	0.1	*	-	-	-	0.7
	3	*	*	*	*	*	*	0.1	0.4	0.4	0.3	*	*	-	-	1.3
	4	-	-	*	*	*	*	*	0.1	0.1	*	*	-	-	-	0.2
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	*	*	*	*	*	0.1	0.2	0.7	0.7	0.4	0.1	*	-	-	2.3
32	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	-	-	0.5
	4	-	-	-	*	0.1	*	*	0.1	0.1	0.1	*	-	-	-	0.5
	5	-	-	-	*	*	*	*	*	*	*	-	-	-	-	0.1
	6	-	-	-	-	*	*	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	*	*	*	-	*	-	-	-	-	-	*
	TOTAL----	-	-	-	*	0.1	0.1	0.2	0.2	0.2	0.3	0.1	*	-	-	1.2
42	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	*	*	*	*	*	*	*	-	-	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	-	*	-	-	-	*
	7	-	-	-	-	*	*	*	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	*	0.1	0.1	*	*	*	*	*	*	-	-	0.3
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	*	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	-	*	-	-	-	-	-	*

* Less than 0.05 percent.

Table 15. -- **Oklahoma**: Percent distribution of color, leaf and staple for upland cotton classed:
November 27, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	*	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	-	-	*	*	-	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	0.1	*	*	*	-	-	-	0.1
33	1-2	-	-	-	-	*	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	-	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	*	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	*	*	-	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.2
43	1-2	-	-	-	-	-	*	-	-	*	*	*	-	-	-	*
	3	-	-	-	-	*	-	-	-	*	*	-	*	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	*	*	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
53	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	*	*	*	*	-	*	*	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	*	*	-	*	*	*	-	*	-	-	*
All Colors	8 2/	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
TOTAL, ALL-----		*	*	*	0.2	1.0	2.5	5.8	15.8	27.0	30.2	16.4	1.0	*	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	1.2															Average Staple 35.3
Bark - Level 2	-															Percent Tenderable 65.5
Grass - Level 1	0.1															
Grass - Level 2	-															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	-															
Other - Level 1	-															

104,517 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 16. -- **South Carolina**: Percent distribution of color, leaf and staple for upland cotton classed:
November 27, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	0.1
	3	-	-	-	-	-	-	-	0.1	0.1	-	-	-	-	-	0.3
	4	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	-	*	-	0.1	0.1	*	*	-	-	-	0.4
31	1-2	-	-	-	-	*	*	0.2	0.4	0.2	*	*	-	-	-	0.9
	3	-	-	-	-	*	0.4	2.9	7.8	8.0	2.4	0.2	*	*	-	21.6
	4	-	-	-	-	-	*	0.5	1.7	2.6	1.3	0.2	*	-	*	6.4
	5	-	-	-	-	-	-	*	*	0.2	0.1	*	*	-	-	0.4
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	0.4	3.6	10.0	11.0	3.8	0.5	*	*	*	29.3
41	1-2	-	-	-	-	*	*	0.2	0.3	0.1	*	-	-	-	-	0.7
	3	-	-	-	-	*	0.9	6.1	15.3	12.6	3.5	0.3	*	*	-	38.8
	4	-	-	-	-	*	0.2	2.2	8.2	9.7	3.9	0.7	0.1	*	-	25.2
	5	-	-	-	-	-	*	0.1	0.5	1.0	0.4	0.1	*	*	-	2.2
	6	-	-	-	-	-	*	0.1	0.1	0.1	*	*	*	-	-	0.2
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
TOTAL----		-	-	-	-	*	1.2	8.6	24.5	23.6	8.0	1.2	0.2	*	-	67.1
51	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	0.2	0.3	0.2	*	*	-	-	-	0.8
	4	-	-	-	-	*	*	0.1	0.3	0.3	0.1	*	-	-	-	0.8
	5	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	0.2
	6	-	-	-	-	-	-	*	*	*	-	-	-	-	-	0.1
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	0.1	0.3	0.7	0.6	0.1	*	*	-	-	1.8
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	-	*	-	-	*	-	-	*
	4	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	*	*	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	-	*	-	-	*	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
32	1-2	-	-	-	-	-	-	*	*	-	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	0.1	*	*	*	*	-	-	0.2
42	1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	0.1	0.1	0.1	0.1	*	*	-	-	-	0.3
	4	-	-	-	-	-	0.1	0.2	0.2	0.1	*	*	-	-	-	0.5
	5	-	-	-	-	-	*	*	*	0.1	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	0.1	0.3	0.3	0.1	*	*	-	-	-	0.9
52	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	0.1	0.1	*	*	*	*	-	-	-	0.2

* Less than 0.05 percent.

Table 16. — **South Carolina**: Percent distribution of color, leaf and staple for upland cotton classed:
November 27, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
33	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
43	1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	*	-	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
53	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	*	-	-	*	-	-	-	-	*
TOTAL, ALL-----		-	-	-	*	*	1.7	12.7	35.7	35.7	12.1	1.7	0.3	*	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	1.0															Average Staple 34.5
Bark - Level 2	-															Percent Tenderable 92.2
Grass - Level 1	0.7															
Grass - Level 2	*															
Prep - Level 1	0.5															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	-															

180,723 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 17. -- **Tennessee**: Percent distribution of color, leaf and staple for upland cotton classed:
November 27, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	0.2	1.0	0.7	0.2	*	*	-	-	-	2.2
	3	-	-	-	-	-	0.3	2.8	4.3	2.0	0.6	0.1	*	-	-	10.2
	4	-	-	-	-	-	*	*	0.2	0.2	0.1	*	*	-	-	0.4
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	0.5	3.9	5.2	2.4	0.7	0.1	*	-	-	12.8
31	1-2	-	-	-	-	*	0.3	1.6	1.1	0.3	0.1	*	-	-	-	3.4
	3	-	-	-	-	*	1.2	12.7	24.5	15.3	5.2	0.8	*	-	-	59.7
	4	-	-	-	-	-	*	1.1	4.8	5.2	2.1	0.5	*	-	-	13.8
	5	-	-	-	-	-	*	*	0.2	0.3	0.1	*	*	-	-	0.6
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	1.6	15.5	30.5	21.1	7.4	1.3	*	-	-	77.4
41	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	0.1	0.9	1.8	1.1	0.4	0.1	*	-	-	4.4
	4	-	-	-	-	-	*	0.3	1.1	1.2	0.6	0.1	*	-	-	3.4
	5	-	-	-	-	-	*	*	0.1	0.2	0.1	*	-	-	-	0.4
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	0.2	1.2	3.0	2.5	1.1	0.2	*	-	-	8.2
51	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
32	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	0.1	0.2	0.2	0.1	*	-	-	-	0.6
	4	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	0.1	0.3	0.3	0.1	*	*	-	-	-	0.8
42	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	0.1	*	*	*	-	-	-	0.2
	4	-	-	-	-	-	*	*	0.1	*	*	*	-	-	-	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	0.1	0.1	0.1	*	*	*	-	-	-	0.4
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*

* Less than 0.05 percent.

Table 17. — *Tennessee*: Percent distribution of color, leaf and staple for upland cotton classed:
November 27, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
33	1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
43	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
TOTAL, ALL-----		-	-	-	-	*	2.3	20.9	39.2	26.5	9.4	1.7	*	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	0.3															
Bark - Level 2	-															
Grass - Level 1	0.1															
Grass - Level 2	-															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	-															

639,109 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 18. — *Texas*: Percent distribution of color, leaf and staple for upland cotton classed:
November 27, 2003

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	*	*	0.1	0.4	1.2	2.6	4.5	6.2	6.0	3.7	1.4	0.1	*	-	26.2
	3	-	*	*	0.1	0.4	1.1	2.0	3.0	3.5	3.3	2.8	0.3	*	*	16.6
	4	-	*	*	*	*	0.1	0.2	0.2	0.3	0.3	0.3	*	*	*	1.5
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	-	*	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	*	*	0.1	0.5	1.7	3.7	6.6	9.5	9.9	7.3	4.5	0.5	*	*	44.3
31	1-2	*	*	*	*	0.2	0.5	0.8	1.0	0.8	0.5	0.2	*	*	-	4.1
	3	*	*	*	0.1	0.4	1.0	2.2	3.6	3.8	3.3	3.0	0.5	*	*	17.9
	4	-	*	*	*	0.1	0.3	0.6	1.0	1.2	1.2	1.5	0.4	*	*	6.4
	5	-	*	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	0.5
	6	-	*	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	-	*	*	-	-	-	*
	TOTAL—	*	*	*	0.2	0.7	1.8	3.7	5.7	6.0	5.1	4.9	0.9	*	*	28.9
41	1-2	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	-	0.4
	3	-	-	*	*	0.1	0.4	0.9	1.1	1.0	0.9	0.8	0.1	*	*	5.5
	4	-	-	*	*	*	0.2	0.4	0.7	1.0	1.1	1.1	0.3	*	*	4.8
	5	-	*	*	*	*	0.1	0.1	0.1	0.2	0.2	0.2	*	*	*	0.9
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL—	-	*	*	*	0.2	0.7	1.5	2.0	2.3	2.2	2.2	0.5	*	*	11.7
51	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	-	0.4
	4	-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	0.5
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	TOTAL—	-	-	-	*	*	0.1	0.2	0.2	0.3	0.2	0.2	*	*	-	1.1
61	1-2	-	-	-	-	-	-	*	*	*	-	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	TOTAL—	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
71	1-2	-	-	-	-	*	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	*	-	*	*	*	*	*	-	-	-	*
12 & 22	1-2	*	*	*	0.1	0.2	0.3	0.3	0.3	0.2	0.1	*	*	*	-	1.4
	3	-	*	*	*	0.2	0.3	0.3	0.3	0.2	0.2	0.2	*	*	-	1.7
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.2
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	*	*	*	0.1	0.3	0.6	0.7	0.6	0.5	0.3	0.2	*	*	-	3.4
32	1-2	*	*	*	*	*	0.1	0.1	*	*	*	*	*	*	-	0.3
	3	*	*	*	0.1	0.2	0.2	0.3	0.3	0.3	0.2	0.3	*	*	-	2.0
	4	-	*	*	*	0.1	0.2	0.2	0.2	0.2	0.2	0.3	0.1	*	*	1.4
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	-	-	*	*	-	-	-	-	*
	TOTAL—	*	*	*	0.1	0.3	0.5	0.6	0.6	0.5	0.5	0.5	0.1	*	*	3.8
42	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	*	*	*	0.1	0.1	0.2	0.2	0.2	0.2	0.2	*	*	-	1.3
	4	-	-	*	*	0.1	0.2	0.2	0.3	0.3	0.3	0.4	0.1	*	*	1.8
	5	-	-	*	*	*	0.1	0.1	0.1	0.1	*	0.1	*	*	-	0.4
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	TOTAL—	-	*	*	*	0.2	0.4	0.5	0.6	0.6	0.5	0.6	0.2	*	*	3.6
52	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.2
	4	-	-	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	-	0.4
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	TOTAL—	-	-	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	-	0.8

* Less than 0.05 percent.

Table 18. -- **Texas** : Percent distribution of color, leaf and staple for upland cotton classed:
November 27, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
13 & 23	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	*	*	*	*	*	*	0.1	*	*	*	*	*	-	0.3
33	1-2	-	*	*	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	*	*	*	*	*	*	*	0.1	*	*	*	*	-	0.3
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	*	*	-	-	*	-	-	-	*
TOTAL----		-	*	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	-	0.5
43	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	-	0.3
	4	-	-	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	*	*	*	*	-	*	-	-	*
TOTAL----		-	-	*	*	*	*	0.1	0.1	0.1	0.2	0.2	*	*	*	0.7
53	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.2
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	*	*	-	*	*	*	*	-	*
TOTAL----		-	-	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	-	0.4
63	1-2	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*
	3	-	-	*	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
24-54	1-7	-	-	*	*	*	*	*	*	*	0.1	0.1	*	*	*	0.3
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
All Colors	8 2/	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL, ALL----		*	*	0.2	1.0	3.5	8.0	14.3	19.6	20.6	16.7	13.7	2.4	0.1	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	5.1															
Bark - Level 2	*															
Grass - Level 1	2.3															
Grass - Level 2	*															
Prep - Level 1	0.5															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 1	*															

2,506,273 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 19. -- *Virginia*: Percent distribution of color, leaf and staple for upland cotton classed:
November 27, 2003

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	0.1	0.2	0.3	0.1	*	-	-	0.6
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	*	*	0.1	0.2	0.3	0.1	*	-	-	0.7
31	1-2	-	-	-	-	-	-	*	0.1	0.1	0.1	*	-	-	-	0.3
	3	-	-	-	-	-	*	1.6	7.9	12.9	16.8	5.6	0.1	*	-	44.9
	4	-	-	-	-	-	*	0.3	3.1	6.0	4.8	1.8	*	-	-	16.0
	5	-	-	-	-	-	-	*	0.2	0.4	0.2	0.1	*	-	-	0.8
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	*	1.9	11.3	19.4	21.8	7.5	0.2	*	-	62.1
41	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	-	*	0.7	3.8	7.0	7.6	2.8	0.1	-	-	22.1
	4	-	-	-	-	-	*	0.2	2.4	5.0	3.5	1.3	*	-	-	12.6
	5	-	-	-	-	-	-	*	0.3	0.7	0.3	0.1	*	-	-	1.4
	6	-	-	-	-	-	-	*	*	0.1	*	-	-	-	-	0.1
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	*	1.0	6.6	12.9	11.4	4.3	0.1	-	-	36.3
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
32	1-2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	0.2
	4	-	-	-	-	-	-	*	*	0.1	*	*	-	-	-	0.2
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	*	0.1	0.2	0.1	*	*	-	-	0.4
42	1-2	-	-	-	-	-	-	*	*	-	*	*	-	-	-	0.1
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	-	*	*	0.1	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	*	0.1	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	*	*	0.2	0.1	*	*	-	-	0.4
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*

* Less than 0.05 percent.

Table 19. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed:
November 27, 2003

QUALITY		LEAF	STAPLE														TOTAL	
COLOR	26 & -		28	29	30	31	32	33	34	35	36	37	38	39	40 & +			
	Pct.		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.			
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	-	-	-	-	*	-	-	-	-	*		
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*		
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*		
	5	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*		
43	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*		
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*		
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*		
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*		
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*		
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	-	-	*	*	-	-	-	-	-	*		
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL, ALL-----		-	-	-	-	-	0.1	2.9	18.1	32.9	33.8	11.9	0.3	*	-	100.0		
EXTRANEIOUS MATTER																Average Staple	35.3	
																Percent Tenderable	93.6	
Bark - Level 1		0.6																
Bark - Level 2		-																
Grass - Level 1		0.6																
Grass - Level 2		-																
Prep - Level 1		0.3																
Prep - Level 2		-																
Other - Level 1		-																
Other - Level 1		-																

65,007 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 20. -- Percentage distribution of mike and fiber strength for upland cotton classed through November 27, 2003

MIKE AND FIBER STRENGTH		ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	KANSAS	LOUISIANA	MISSISSIPPI
MIKE	24 & below	*	*	*	*	-	-	0.3	-	*
	25	*	*	*	*	-	*	0.4	-	*
	26	*	*	*	*	*	*	1.6	*	*
	27	*	*	*	*	*	*	1.8	*	*
	28	*	*	*	*	*	*	1.7	*	*
	29	*	*	*	0.1	*	*	1.7	*	*
	30	0.1	*	*	0.2	*	*	2.0	*	*
	31	0.1	*	*	0.4	*	*	2.5	*	*
	32	0.2	0.1	0.1	0.7	*	*	2.9	*	*
	33	0.3	0.1	0.1	1.4	*	*	2.7	*	0.1
	34	0.3	0.1	0.2	2.2	0.1	0.1	2.6	*	0.1
	35	0.6	0.2	0.3	3.1	0.2	0.2	2.1	0.1	0.2
	36	1.0	0.3	0.5	4.4	0.3	0.3	2.7	0.2	0.3
	37	1.7	0.5	0.7	6.0	0.6	0.6	2.8	0.3	0.5
	38	2.7	0.7	1.2	7.5	1.2	1.2	2.8	0.4	0.8
	39	3.9	1.1	1.7	9.1	2.2	2.0	2.6	0.5	1.1
	40	5.6	1.6	2.4	10.4	3.6	3.7	4.1	0.8	1.7
	41	7.5	2.5	3.1	10.2	5.5	6.3	5.2	1.2	2.4
	42	9.5	3.2	4.0	9.5	7.2	9.8	6.2	1.8	3.2
	43	11.0	4.3	5.4	8.4	8.8	14.3	6.5	2.8	4.4
	44	12.0	5.4	7.0	7.2	10.0	16.8	7.2	4.4	5.9
	45	11.9	6.8	8.6	5.8	11.9	16.0	7.8	7.0	7.6
	46	10.9	9.0	10.1	4.4	14.0	12.4	7.9	10.9	10.0
	47	8.6	10.4	11.2	3.2	12.8	8.2	7.4	14.9	12.1
	48	6.0	11.6	11.4	2.2	9.2	4.6	5.9	16.4	13.0
	49	3.6	11.3	10.5	1.6	5.9	2.3	4.3	14.7	11.9
	50	1.4	10.3	8.4	0.9	3.4	0.8	2.7	10.7	9.2
	51	0.7	8.1	6.0	0.6	2.0	0.3	1.1	6.6	6.7
	52	0.2	5.5	3.8	0.3	0.9	0.1	0.3	3.5	4.5
	53	*	3.5	1.9	0.2	0.1	*	0.1	1.7	2.3
	54	*	2.0	0.9	0.1	*	*	-	0.7	1.2
	55	*	1.0	0.3	*	*	*	-	0.3	0.4
	56	-	0.3	0.1	*	-	-	-	0.1	0.1
	57	-	0.1	*	-	-	-	-	*	*
	58	-	*	*	-	-	*	-	*	*
	59	-	-	*	-	-	-	-	-	*
	60 & above	-	-	-	-	-	-	-	-	-
Average mike		44	47	47	41	45	44	41	48	47
FIBER STRENGTH 1/										
	17 & below	-	-	-	-	-	-	-	-	-
	18	-	-	-	-	-	-	-	-	-
	19	-	-	-	-	-	-	-	-	-
	20	-	-	-	-	-	-	-	-	-
	21	-	*	-	-	-	*	-	*	-
	22	*	*	*	*	*	*	*	*	*
	23	0.1	*	*	*	0.1	*	*	0.1	0.1
	24	0.5	0.5	0.4	*	0.5	0.7	0.7	0.5	0.6
	25	2.1	2.3	2.3	0.2	2.8	3.1	1.8	2.2	2.9
	26	7.9	6.5	8.2	0.3	10.3	9.8	6.4	7.5	8.8
	27	20.4	13.0	19.0	0.8	25.5	22.3	13.5	18.3	18.3
	28	28.0	17.6	29.0	1.5	31.2	29.0	20.5	26.6	26.3
	29	21.2	20.1	23.7	2.7	19.4	19.9	22.2	21.8	22.5
	30	12.0	17.9	10.7	5.6	7.8	9.9	17.8	11.6	12.0
	31	5.4	11.7	3.9	12.0	1.9	3.7	11.4	5.2	5.3
	32	1.9	5.9	1.5	19.1	0.4	1.2	4.7	2.9	2.1
	33	0.5	2.8	0.5	24.5	*	0.3	0.8	1.9	0.7
	34	0.1	1.2	0.3	20.0	*	0.1	0.2	1.0	0.3
	35	*	0.4	0.1	9.3	*	*	-	0.3	0.1
	36 & above	-	0.1	0.1	4.0	-	-	-	0.1	*
Average strength		28.3	29.0	28.2	32.7	27.9	28.0	28.8	28.5	28.3

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

* Less than 0.05 percent.

Table 20. — Percentage distribution of mike and fiber strength for upland cotton classed through
November 27, 2003

MIKE AND FIBER STRENGTH	MISSOURI	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
MIKE 24 & below	*	-	*	*	-	*	*	-	*
25	*	-	*	0.1	*	*	*	-	*
26	*	-	*	*	*	*	*	-	*
27	*	-	*	0.1	*	*	*	*	*
28	*	-	*	0.1	*	*	0.1	*	*
29	*	-	*	0.1	*	*	0.1	*	*
30	0.1	*	*	0.2	*	0.1	0.2	0.1	0.1
31	0.1	0.2	*	0.2	0.1	0.1	0.3	0.1	0.1
32	0.1	0.2	0.1	0.2	0.2	0.1	0.4	0.3	0.2
33	0.2	0.8	0.2	0.2	0.3	0.2	0.5	0.7	0.3
34	0.2	1.0	0.4	0.2	0.6	0.2	0.7	1.1	0.4
35	0.5	1.7	0.9	0.2	1.2	0.4	1.0	2.2	0.7
36	0.9	2.1	1.8	0.2	1.9	0.6	1.3	3.6	1.0
37	1.3	3.5	3.1	0.4	2.9	0.8	1.7	5.4	1.5
38	2.0	4.7	5.0	0.6	4.5	1.2	2.3	8.1	2.1
39	3.1	6.1	7.6	0.9	6.9	1.7	3.0	10.5	2.9
40	4.3	8.0	10.5	1.4	9.8	2.4	3.8	10.9	3.9
41	5.5	8.3	13.1	2.5	12.7	3.1	4.7	11.7	5.0
42	7.1	11.4	14.1	3.7	14.7	4.0	6.0	12.1	6.2
43	8.4	10.9	13.3	5.4	14.9	5.0	7.2	11.7	7.5
44	9.2	8.0	11.1	7.2	12.4	6.1	8.0	9.0	8.4
45	9.8	7.6	7.9	8.4	8.4	7.2	8.6	6.0	8.9
46	9.8	7.5	5.3	9.6	4.6	8.4	9.0	3.5	9.3
47	9.6	6.2	2.9	10.0	2.3	9.2	9.2	1.8	9.4
48	8.3	4.9	1.5	9.2	1.1	9.9	8.8	0.7	9.0
49	6.9	3.5	0.8	9.8	0.4	9.7	7.7	0.3	7.8
50	5.1	2.0	0.2	8.8	0.1	9.0	6.0	*	5.9
51	3.5	1.2	0.1	6.6	*	8.0	4.2	*	4.2
52	2.2	0.2	*	4.8	*	6.2	2.6	-	2.7
53	1.2	0.1	*	3.6	*	3.8	1.5	*	1.4
54	0.5	*	*	2.8	*	1.7	0.7	-	0.7
55	0.2	*	*	1.7	*	0.7	0.3	-	0.3
56	0.1	-	*	0.6	*	0.1	0.1	-	0.1
57	*	-	-	0.2	-	*	*	-	*
58	*	-	-	*	-	*	*	-	*
59	-	-	-	-	-	-	*	-	*
60 & above	-	-	-	-	-	-	-	-	-
Average mike	45	43	42	47	42	47	45	41	46
FIBER STRENGTH 1/									
17 & below	-	-	-	-	-	-	*	-	*
18	-	-	-	-	-	-	*	-	*
19	-	-	-	*	-	-	*	-	*
20	-	-	*	*	-	-	*	-	*
21	-	-	*	*	-	-	*	-	*
22	*	-	*	*	*	*	0.1	-	*
23	*	*	0.1	0.1	*	*	0.3	*	0.1
24	0.1	0.1	1.1	0.3	0.5	0.4	1.0	0.7	0.6
25	1.3	0.7	5.3	1.1	2.9	3.1	2.6	3.2	2.5
26	5.7	1.9	14.5	4.1	8.5	12.8	4.8	9.4	7.6
27	13.7	6.8	24.0	11.7	18.8	27.3	8.7	20.2	16.2
28	23.5	15.8	23.6	18.9	25.9	27.4	13.3	26.2	22.2
29	25.6	22.7	15.9	19.4	21.8	16.3	15.9	20.5	18.9
30	17.3	18.3	8.5	15.7	11.9	7.5	15.5	10.4	11.8
31	8.7	12.6	4.2	12.2	5.9	3.2	14.0	5.0	7.4
32	3.1	11.3	1.9	8.7	2.7	1.3	12.2	2.5	5.4
33	0.7	6.3	0.7	5.2	0.8	0.4	7.7	1.3	3.9
34	0.2	2.7	0.2	2.0	0.2	0.2	2.9	0.4	2.2
35	0.1	0.6	*	0.4	*	*	0.7	0.1	0.9
36 & above	*	0.1	*	0.1	*	*	0.1	*	0.3
Average strength	28.7	29.8	27.8	29.4	28.3	27.9	29.7	28.2	28.9

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

* Less than 0.05 percent.

Table 21. -- Percentage distribution of uniformity and trash for upland cotton classed through November 27, 2003

UNIFORMITY AND TRASH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	KANSAS	LOUISIANA	MISSISSIPPI
UNIFORMITY 1/									
72 & below	-	-	-	-	-	-	-	-	-
73	-	-	-	-	-	-	-	-	-
74	-	-	-	-	-	-	-	-	-
75	-	*	-	-	-	-	-	-	-
76	*	*	*	*	*	*	*	-	-
77	0.1	0.2	*	*	0.1	0.2	0.2	*	*
78	0.8	1.6	*	0.1	1.2	2.7	2.7	1.0	0.2
79	4.5	9.2	0.9	1.1	8.5	13.8	11.6	9.3	2.4
80	15.7	30.0	6.6	5.5	32.4	36.2	36.8	26.2	12.4
81	30.8	37.8	25.8	23.6	39.1	33.1	35.7	31.3	27.9
82	33.0	17.3	47.4	44.0	16.3	11.9	11.3	23.2	37.2
83	13.7	3.5	17.4	21.0	2.3	1.9	1.6	8.0	17.5
84	1.5	0.4	1.8	3.7	0.1	0.1	0.1	0.9	2.3
85	*	*	*	0.7	*	*	-	*	*
86	-	-	-	0.3	-	-	-	*	-
87	-	-	-	*	-	-	-	-	-
88	-	-	-	*	-	-	-	-	-
89	-	-	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-	-
Average uniformity	81.4	80.7	81.8	81.9	80.7	80.4	80.5	80.9	81.6
TRASH 2/									
0.0	-	*	*	*	-	*	-	-	*
0.1	0.1	27.8	0.2	28.5	0.2	0.2	0.2	0.5	0.4
0.2	2.8	45.3	6.7	44.8	4.9	5.4	4.4	8.7	6.7
0.3	13.1	18.3	22.9	18.4	19.7	18.1	14.7	24.1	20.3
0.4	22.4	5.0	26.5	5.1	30.7	29.0	13.7	24.1	23.0
0.5	21.5	1.7	19.0	1.7	22.9	21.7	15.0	17.1	17.6
0.6	16.6	0.9	13.3	0.8	12.1	12.5	12.1	12.5	14.7
0.7	10.2	0.4	5.9	0.3	5.5	6.7	9.6	5.9	7.3
0.8	6.1	0.2	3.0	0.2	2.4	3.6	5.6	3.5	4.7
0.9	3.4	0.1	1.4	0.1	1.0	1.6	4.6	1.9	2.7
1.0	1.8	0.1	0.6	*	0.4	0.7	3.9	0.9	1.3
1.1	0.8	*	0.2	*	0.1	0.2	3.0	0.4	0.6
1.2	0.5	*	0.1	*	*	0.1	2.7	0.2	0.3
1.3	0.3	*	0.1	*	*	0.1	2.0	0.2	0.2
1.4	0.1	*	*	*	*	*	2.2	*	*
1.5	0.1	*	*	*	*	*	1.8	*	*
1.6	0.1	*	*	*	*	*	0.8	*	*
1.7	*	*	*	*	-	*	0.6	*	*
1.8 & above	0.1	*	*	*	*	*	3.1	*	*
Average trash	0.54	0.22	0.45	0.21	0.45	0.47	0.68	0.45	0.48

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 21. -- Percentage distribution of uniformity and trash for upland cotton classed through November 27, 2003

UNIFORMITY AND TRASH	MISSOURI	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
UNIFORMITY 1/									
72 & below	-	-	-	-	-	-	-	-	-
73	-	-	-	-	-	-	-	-	-
74	-	-	-	-	-	-	-	-	-
75	-	-	-	-	-	-	*	-	*
76	-	-	*	*	*	-	*	-	*
77	*	*	*	0.2	*	*	0.3	-	0.1
78	*	0.6	0.5	1.5	1.0	0.1	1.7	*	0.9
79	0.3	5.3	3.8	6.7	7.1	1.0	7.4	0.6	5.3
80	2.8	24.0	14.3	19.3	24.0	6.3	19.0	4.2	16.6
81	20.9	33.7	31.6	33.5	35.1	25.3	30.7	17.6	29.1
82	50.3	26.7	34.8	28.0	24.7	44.4	27.9	38.9	32.8
83	22.5	8.5	13.4	9.8	7.4	20.5	11.5	31.7	13.4
84	3.0	1.1	1.5	1.1	0.7	2.3	1.6	6.8	1.7
85	0.1	0.1	*	*	*	*	0.1	0.2	0.1
86	-	-	-	-	-	-	*	-	*
87	-	-	-	-	-	-	-	-	*
88	-	-	-	-	-	-	-	-	*
89	-	-	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-	-
Average uniformity	82.0	81.1	81.4	81.1	81.0	81.8	81.2	82.2	81.4
TRASH 2/									
0.0	-	*	-	0.2	*	*	*	-	*
0.1	0.7	43.8	0.1	42.3	0.1	1.7	13.5	*	6.1
0.2	10.7	33.1	3.4	35.6	2.9	17.7	26.9	1.4	14.9
0.3	26.6	14.0	17.9	12.6	13.5	30.5	23.4	12.1	21.3
0.4	26.9	5.3	26.1	4.0	21.5	23.4	14.1	24.5	20.8
0.5	17.4	2.2	21.4	2.2	20.4	13.2	8.4	23.9	14.9
0.6	10.2	1.0	15.4	1.2	18.0	7.5	5.7	18.7	10.5
0.7	4.3	0.3	7.3	0.7	10.1	3.3	3.0	9.0	5.2
0.8	1.9	0.1	3.9	0.4	6.3	1.6	1.9	5.1	3.0
0.9	0.8	0.1	2.0	0.3	3.5	0.7	1.2	2.7	1.6
1.0	0.3	*	1.0	0.1	1.9	0.4	0.7	1.4	0.8
1.1	0.1	-	0.4	0.1	0.7	0.1	0.4	0.6	0.4
1.2	*	-	0.3	0.1	0.4	*	0.3	0.3	0.2
1.3	*	*	0.2	*	0.3	*	0.2	0.2	0.1
1.4	*	-	0.1	*	0.2	*	0.1	0.1	0.1
1.5	*	-	0.1	*	0.1	*	0.1	*	*
1.6	*	-	*	*	*	*	*	*	*
1.7	*	-	*	*	*	*	*	*	*
1.8 & above	*	-	0.1	*	*	*	0.1	*	*
Average trash	0.42	0.19	0.49	0.20	0.54	0.38	0.34	0.53	0.41

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark etc. * Less than 0.05 percent.

Table 22. -- Quality of American Pima cotton classed for producers by State and United States through November 27, 2003

Quality Designation	Leaf	Arizona	California	New Mexico	Texas	United States
01	1	22.7	31.7	19.8	36.5	28.5
	2	13.2	4.8	9.2	7.2	4.6
	3	0.0	0.1	0.1	0.0	0.2
	4	0.0	0.0	0.0	0.0	0.1
	5	0.0	0.0	0.0	0.0	0.1
	6	0.0	0.0	0.0	0.0	0.1
	7	0.0	0.0	0.0	0.0	0.1
Total -----		36.0	36.5	29.1	43.7	33.1
02	1	3.4	45.6	12.1	28.0	40.3
	2	37.6	11.2	51.4	25.9	11.5
	3	20.0	2.2	5.7	1.7	2.3
	4	1.1	0.3	0.3	0.0	0.4
	5	0.0	0.0	0.0	0.0	0.1
	6	0.0	0.0	0.0	0.0	0.1
	7	0.0	0.0	0.0	0.0	0.1
Total -----		62.1	59.3	69.5	55.6	54.3
03	1	0.0	1.0	0.0	0.0	1.0
	2	0.2	1.6	0.3	0.3	1.5
	3	1.0	0.8	1.0	0.4	0.8
	4	0.5	0.3	0.2	0.0	0.4
	5	0.1	0.1	0.0	0.0	0.2
	6	0.0	0.0	0.0	0.0	0.1
	7	0.0	0.0	0.0	0.0	0.1
Total -----		1.7	3.8	1.4	0.7	3.5
04	1	0.0	0.0	0.0	0.0	0.1
	2	0.0	0.1	0.0	0.0	0.2
	3	0.0	0.1	0.0	0.0	0.2
	4	0.2	0.0	0.0	0.0	0.1
	5	0.0	0.0	0.0	0.0	0.1
	6	0.0	0.0	0.0	0.0	0.1
	7	0.0	0.0	0.0	0.0	0.1
Total -----		0.2	0.3	0.1	0.0	0.4
05	1	0.0	0.0	0.0	0.0	0.1
	2	0.0	0.0	0.0	0.0	0.1
	3	0.0	0.0	0.0	0.0	0.1
	4	0.0	0.0	0.0	0.0	0.1
	5	0.0	0.0	0.0	0.0	0.1
	6	0.0	0.0	0.0	0.0	0.1
	7	0.0	0.0	0.0	0.0	0.1
Total -----		0.0	0.0	0.0	0.0	0.1
06	1	0.0	0.0	0.0	0.0	0.1
	2	0.0	0.0	0.0	0.0	0.1
	3	0.0	0.0	0.0	0.0	0.1
	4	0.0	0.0	0.0	0.0	0.1
	5	0.0	0.0	0.0	0.0	0.1
	6	0.0	0.0	0.0	0.0	0.1
	7	0.0	0.0	0.0	0.0	0.1
Total -----		0.0	0.0	0.0	0.0	0.1
07	1	0.0	0.0	0.0	0.0	0.1
	2	0.0	0.0	0.0	0.0	0.1
	3	0.0	0.0	0.0	0.0	0.1
	4	0.0	0.0	0.0	0.0	0.1
	5	0.0	0.0	0.0	0.0	0.1
	6	0.0	0.0	0.0	0.0	0.1
	7	0.0	0.0	0.0	0.0	0.1
Total -----		0.0	0.0	0.0	0.0	0.1
STAPLE						
40 & shorter		0.0	0.0	0.0	0.0	0.1
42		0.2	0.0	0.1	0.0	0.1
44		34.7	2.4	5.9	15.5	2.6
46		61.6	45.0	54.5	69.5	41.3
48 & longer		3.6	52.6	39.5	15.0	47.2
Average		45.4	47.0	46.7	46.0	42.8
UNIFORMITY						
72 & below		0.0	0.0	0.0	0.0	0.1
73		0.0	0.0	0.0	0.0	0.1
74		0.0	0.0	0.0	0.0	0.1
75		0.0	0.0	0.0	0.0	0.1
76		0.0	0.0	0.0	0.0	0.1
77		0.0	0.0	0.0	0.0	0.1
78		0.0	0.0	0.0	0.0	0.1
79		0.0	0.0	0.0	0.0	0.1
80		0.1	0.0	0.0	0.0	0.1
81		0.3	0.0	0.0	0.0	0.1
82		5.1	0.5	0.8	0.5	0.6
83		26.4	4.1	6.0	4.0	4.0
84		40.3	20.5	20.7	18.1	18.9
85		22.0	42.2	36.6	39.3	38.1
86		5.0	27.0	26.5	29.3	24.5
87		0.7	5.6	8.2	7.2	5.2
88		0.0	0.1	1.3	1.3	0.2
89		0.0	0.0	0.0	0.2	0.1
90 & above		0.0	0.0	0.0	0.0	0.1
Average		84.0	85.1	85.1	85.2	77.4
BALES CLASSED		1,307	166,409	5,196	17,370	190,282

* Less than 0.05 percent.

Table 22. -- Quality of American Pima cotton classed for producers by State and United States through November 27, 2003

Quality Designation	Arizona	California	New Mexico	Texas	United States
MIKE					
24 & below	0.0	0.0	0.0	0.0	-
25 - 26	0.0	0.0	0.0	0.0	-
27 - 29	0.0	0.1	0.0	0.0	0.1
30 - 32	0.1	1.1	0.0	0.0	0.9
33 - 34	0.8	2.2	0.0	0.0	1.9
35 - 36	2.9	4.2	0.0	0.1	3.7
37 - 42	80.3	67.7	37.6	8.4	61.6
43 - 49	15.9	24.7	62.4	90.8	31.7
50 - 52	0.0	0.0	0.0	0.6	0.1
53 & above	0.0	0.0	0.0	0.0	-
Average	40	41	43	45	37
ALL MIKE					
24 & below	0.0	0.0	0.0	0.0	0.1
25	0.0	0.0	0.0	0.0	0.1
26	0.0	0.0	0.0	0.0	0.1
27	0.0	0.0	0.0	0.0	0.1
28	0.0	0.0	0.0	0.0	0.1
29	0.0	0.1	0.0	0.0	0.2
30	0.0	0.2	0.0	0.0	0.3
31	0.0	0.3	0.0	0.0	0.4
32	0.1	0.6	0.0	0.0	0.6
33	0.2	1.0	0.0	0.0	1.0
34	0.5	1.3	0.0	0.0	1.2
35	0.8	1.8	0.0	0.1	1.7
36	2.1	2.4	0.0	0.1	2.2
37	5.0	4.3	0.6	0.1	3.9
38	12.3	6.8	1.6	0.1	6.2
39	15.4	10.3	2.6	0.5	9.3
40	18.2	14.2	5.5	0.7	12.8
41	15.8	16.6	10.2	2.1	15.0
42	13.7	15.4	17.1	4.9	14.1
43	9.5	11.7	20.5	8.2	10.9
44	4.7	7.6	18.3	16.3	7.3
45	1.5	3.6	11.1	18.5	3.6
46	0.1	1.4	7.4	21.6	1.5
47	0.0	0.3	3.3	16.3	0.4
48	0.1	0.0	1.4	7.1	0.1
49	0.0	0.0	0.4	2.9	0.1
50	0.0	0.0	0.0	0.6	0.1
51	0.0	0.0	0.0	0.0	0.1
52	0.0	0.0	0.0	0.0	0.1
53	0.0	0.0	0.0	0.0	0.1
54	0.0	0.0	0.0	0.0	0.1
55	0.0	0.0	0.0	0.0	0.1
56	0.0	0.0	0.0	0.0	0.1
57	0.0	0.0	0.0	0.0	0.1
58	0.0	0.0	0.0	0.0	0.1
59	0.0	0.0	0.0	0.0	0.1
60 & above	0.0	0.0	0.0	0.0	0.1
Average	40	41	43	45	37
Strength					
17 & below	0.0	0.0	0.0	0.0	-
18	0.0	0.0	0.0	0.0	-
19	0.0	0.0	0.0	0.0	-
20	0.0	0.0	0.0	0.0	-
21	0.0	0.0	0.0	0.0	-
22	0.0	0.0	0.0	0.0	-
23	0.0	0.0	0.0	0.0	-
24	0.0	0.0	0.0	0.0	-
25	0.0	0.0	0.0	0.0	-
26	0.0	0.0	0.0	0.0	-
27	0.0	0.0	0.0	0.0	-
28	0.0	0.0	0.0	0.0	*
29	0.0	0.0	0.0	0.0	*
30	0.0	0.0	0.0	0.0	*
31	0.0	0.1	0.0	0.0	*
32	0.2	0.1	0.0	0.0	0.1
33	1.8	0.3	0.1	0.0	0.3
34	6.0	0.5	0.1	0.0	0.5
35	10.9	0.8	0.3	0.4	0.8
36	15.8	1.2	1.3	1.1	1.3
37	18.9	2.4	5.2	4.1	2.7
38	14.2	5.1	13.1	11.5	6.0
39	12.2	10.4	21.3	21.3	11.7
40	8.5	17.8	22.4	25.2	18.6
41	5.7	20.8	17.6	21.4	20.6
42	3.7	18.2	10.5	9.4	17.1
43	1.1	12.0	4.9	3.6	10.7
44	0.6	6.4	2.4	1.4	5.8
45 & above	0.3	4.0	0.9	0.6	3.6
Average	37.6	41.0	40.0	40.0	37.3
EXTRANEIOUS MATTER					
Bark	0.6	0.0	0.0	0.0	*
Grass	0.0	0.1	1.1	0.0	0.1
Spindle Twist	0.1	0.1	0.0	0.0	0.1
Preparation	0.0	0.5	0.0	0.0	0.4

* Less than 0.05 percent.